BENJAMIN APPELBAUM, Ph.D.

Attorney-At-Law 27 Bennington Drive Flanders, New Jersey 07836 Telephone:(973)-927-5573 Facsimile: (973)-584-2621

RECEIVED CENTRAL FAX CENTER FEB 0 5 2007

FACSIMILE COVER SHEET

FAX NUMBER: 1-571-273-8300

TO: BOARD OF PATENT APPEALS and INTERFERENCES MAIL STOP-APPEAL BRIEF-PATENTS U.S.P.T.O. Alexandria VA 22313

NUMBER OF PAGES, INCLUDING COVER SHEET: 57

Please call (973)-927-5573 if any pages were not received or are illegible. Thank you.

RE: Applicant: Hassan. A et al.

Serial No: 10/669,357, filed 25 Sept. 2003

Repulpable Wax

Transmission of Appellant's Appeal Brief

Attached please find the following papers for filing: -Transmission Letter (2 p.), including Certificate of Facsimile Transmission; -Appellant's Appeal Brief (29 pages); plus

Evidence Appendix (24 p); and

-Form PTO-2038 (1 p) to charge the fee for filing the appeal brief to a credit card.

Benjamin Appelbaum Reg. No. 38,068

The information contained in this facsimile message is attorney privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone, and return the original to us at the above address using the U.S. Postal Service.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Serial No.:

10/669,357

RECEIVED
CENTRAL FAX CENTER

Applicant:

HASSAN, AZIZ et al.

FEB 0 5 2007

Atty. Docket No.:

BSN5DIV

Filed:

25 Sept. 2003

Examiner:

Erma C. Cameron

Group Art Unit:

1762

For:

REPULPABLE WAX

Certificate of Mailing (First Class Mail) or Transmission Under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop-Appeal Brief-Patents, United States Patent and Trademark Office, Board of Patent Appeals and Interferences, P.O. Box 1450, Alexandria VA 22313-1450, or being facsimile transmitted to 1-571-273-8300, Mail Stop Appeal Brief-Patents

on

Benjamin Appelbaum

Reg. No. 38068

United States Patent and Trademark Office Board of Patent Appeals and Interferences Mail Stop: APPEAL BRIEF-PATENTS

P.O. Box 1450

Alexandria VA 22313-1450

TRANSMITTAL OF APPEAL BRIEF

Page 1 of 2

Enclosed is a single copy of the Appeal Brief of the Appellant (29 pages), and an Evidence Appendix (24 pages), for the above-identified :application.

The Notice of Appeal for this application was filed on 4 December 2006, and the Appeal Brief was due on Sunday, 4 February 2007. Because the due date was a Sunday, the Appeal Brief is due the next business day, and accordingly, this Appeal Brief is being timely filed and no extension of time is required.

A Form PTO-2038 is attached, to charge the \$250.00 (small entity) fee for filing this appeal brief to a credit card.

Respectfully submitted,

Benjamin Appelbaum, Ph.D.


Reg. No. 38,068 Attorney-At-Law 27 Bennington Drive Flanders NJ 07836

Telephone: (973)-927-5573 Facsimile: (973)-584-2621

Fel. 5, 200>

ba\Enclosures
Appeal Brief (29 pages);
Evidence Appendix (24 pages);
Form PTO-2038

Appl Brf Trans Ltr Pat 02052007.wpd



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

5

10

15

IDENTIFICATION PAGE

Applicant: HASSAN, AZIZ et al.

Serial No: 10/669,357

Filed: 25 Sept. 2003

Atty. Docket No: BSN5DIV

Examiner: ERMA C. CAMERON

Group Art Unit: 1762

For: REPULPABLE WAX

20

MAIL STOP APPEAL BRIEF-PATENTS

Commissioner for Patents

P.O. Box 1450

25 Alexandria, Virginia 22313-1450

APPEAL BRIEF

30

This is an appeal from the final rejection of the Examiner mailed August 3, 2006 rejecting Claims 30-39, 41, 42, 45 and 47. This brief is accompanied by the requisite fee set forth in 37 C.F.R. § 1.17(f),

02/06/2007 TL0111 00000028 10669357

01 FC:2402

250.09 OP

BSN5 Div AppealBr 122006

1

CENTRAL FAX GENTER

TABLE OF CONTENTS

FEB 0 5 2007

		ı	PAGE
	TAB	LE OF CONTENTS	2
	1.	REAL PARTY IN INTEREST	4
	2.	RELATED APPEALS AND INTERFERENCES	4
5	3.	STATUS OF CLAIMS	4
	4.	STATUS OF AMENDMENTS	4
	5.	SUMMARY OF CLAIMED SUBJECT MATTER	<i>.</i> 6
		Claim 30	6
		Table A. Comparison of Inventive Wax Compositions .	. <i>.</i>
10		Claim 45	8
	6.	GROUNDS OF REJECTION TO BE REVIEWED	ON
		APPEAL	10
	7.	ARGUMENT	11
		A. Whether Claims 30-39, 42 and 47 are unpatenta	ble
15		under 35 U.S.C. §103 over Sleeter (U.S. Pat. I	No.
		6,011,286)	11
		1) Obviousness; Inherency	11
		2) Claim 30: Recycling	13
		3) Claim 47 and Material Types	14
20		B. Whether Claim 41 is unpatentable under 35 U.S	.C.
		§103 over Sleeter (U.S. Pat. No. 6,011,286)	16
		C. Whether Claim 45 is unpatentable under 35 U.S	.C.
		§103 over Sleeter et al. (U.S. Pat. No. 6,011,286	3)
		1) Iodine values, Properties, Inherency	16
25		2) Claim 45: Recycling	
			17
		D. Whether Claims 30-38, 41-42, 45 and 47 a	are
		unpatentable under 35 U.S.C. §103(a) based	on
		WO96/00815	18
30		1) Claims 30-38, 41-42, 45: Inherency	18
		2) Claims 30 and 45: Repulping	
		E. Whether Claims 30-32, 41 and 47 are unpatental	ble
		under 35 U.S.C. §103(a) based on RD 392017 ("t	he
		'017 reference")	20
35		1) Claims 30-31 and 47	20
		2) Claims 33 and 41	22
	BSN5 Div Appea	alBr 122006	2

RECEIVED CENTRAL FAX CENTER

	•	F. Whether Claim 33 is unpatentable under 35 U.S.C. FEB 0 5 20
		§103(a) based on RD 392017 ("the '017
		reference").22
	8.	CONCLUSION 23
	9.	CLAIMS APPENDIX
5	10.	EVIDENCE APPENDIX
	11.	RELATED PROCEEDINGS APPENDIX
	12.	TABLE OF AUTHORITIES 20

FEB 0 5 2007

P.08

1. **REAL PARTY IN INTEREST**

The real party in interest is HRD Corp, Houston, TX, the assignee of this patent application.

5

2. **RELATED APPEALS AND INTERFERENCES**

There are no other appeals or interferences known to the appellant or the appellant's legal representative, which will directly affect or be directly affected by or have a bearing on the 10 Board's decision in the pending appeal.

3. STATUS OF CLAIMS

15 There are forty-seven (47) Claims in the application.

Claims 30 and 45 are the independent Claims.

The status of the Claims as set out in Office Paper No. 20060801 (Office Action 20 mailed 3 August 2006) is as follows:

Claims allowed:

None.

Claims objected to:

None.

25

Claims rejected:

Claims 30-39, 41-43, 45 and 47.

Claims cancelled:

Claims 1-29, inclusive; 40, 43, 44, and 46.

30 The Claims on Appeal are:

Claims 30-39, 41-42, 45 and 47.

The Office Paper dated 20060801 states that claim 43 was rejected; however, claim 43 had been cancelled in the amendment filed 15 May 2006.

35 4. STATUS OF AMENDMENTS

The application was filed on 25 September 2003. There are forty-seven (47) Claims, of which two (2) are independent Claims (Claims 30 and 45).

A final rejection was issued in Office Paper 20060801 (mailed 3 August 2006). A Notice of Appeal was filed on 4 December 2006; no response was filed in response to the final rejection.

Based on the final rejection, the status of the claims is:

Claims allowed:

None.

10

5

Claims objected to:

None.

Claims rejected:

Claims 30-39, 41-43, 45 and 47.

Claims cancelled:

Claims 1-29, inclusive; 40, 43, 44, and 46.

The Claims on Appeal are:

Claims 30-39, 41-42, 45 and 47.

15

The Office Paper dated 20060801 states that claim 43 was rejected; however, claim 43 had been cancelled in the amendment filed 15 May 2006.

5.

RECEIVED CENTRAL FAX CENTER

SUMMARY OF CLAIMED SUBJECT MATTER

FEB 0 5 2007

Two (2) independent Claims are involved in this appeal, Claims 30 and 45. Pursuant to 37 CFR 41.37(c)(1)(v), all references to the specification refer to the substitute specification filed 6 December 2004.

5

10

15

20

As described in the specification, embodiments of the invention include a composition that can be applied to fibrous cellulosic materials, such as paper, cardboard, fiberboard and the like, and render the treated product both water-resistant and capable of being recycled (p. 3, lines 1-4; p.7, lines 8-19; p. 8, lines 11-16, and lines 26-28 regarding use of the terms "repulping", "recycling". "repulpability" and "recyclability"; Example 1, p. 16, line 28 - p. 18, line 5; Example 2, and particularly at p. 19, line 17- p. 20, line 17). Rendering the fibrous cellulosic material water resistant prevents damage to the treated fibrous cellulosic material caused by leakage of frozen goods, or goods packed in wet ice, and shipped in such materials (p. 6, lines 12-14; Example 1, p. 16, line 26-p. 17, line 19, particularly at p. 18, lines 12-19, including Table 3; p. 18, line 26-p. 19, line 15, including Table 4). By being removable, the coating allows such treated fibrous cellulosic materials to be recycled, a task that had been difficult to achieve when using fibrous cellulosic materials coated with petroleum-based coatings, such as paraffin waxes (p. 3, lines 1 -18; p. 4, lines 18-25). For purposes of recycling, the treated fibrous cellulosic products are immersed in a bath of warm water, and which generally has an alkaline pH (p.3, lines 1-6, lines 13-18; p. 16, lines 15-23; p. 19, lines 17-26). After a period of immersion in this bath, the coating is removed from the treated fibrous cellulosic material, and the fibrous cellulosic material can be reused for recycled paper, rather than having to be discarded (p. 19, line 17- p. 20, line 17). The use of a vegetable-derived wax has a useful environmental impact in that the product is renewable, and also reduces industrial dependence on petroleum, whose supply is subject to interruption, cost increases, and eventual depletion (p. p. 4, line 27- p. 5, line 6; p. 6, lines 22-24; p. 7, lines 1-2; p. 9, lines 26-29).

Claim 30

30

35

25

Claim 30 describes a composition that is derived from hydrogenated vegetable oils, which, when applied to a fibrous cellulosic material, will render that material resistant to water. An additional property of that composition is that when the material is placed into a warm alkaline aqueous solution, for example water, the applied composition is dispersible in that solution. In other words, the claim describes a vegetable derived triglyceride that can render a paper product water resistant, and when the coated paper product is immersed in warm alkaline water, the coating can be removed from the paper, enabling the coating and the paper to be recycled.

10

30

The triglyceride can be obtained from vegetables such as soybean, corn, cottonseed, rape, canola, sunflower, palm, palm kernel, coconut, crambe, linseed and peanuts (p. 7, lines 21-22; p. 9, lines 26-28; p.11, lines 2-8).

The triglyceride is characterized by having a melting point that is greater than 120 degrees F, and an iodine value that is between 0 and 30. The iodine value is a parameter that indicates the degree of hydrogenation of the triglyceride. The properties of the soybean triglyceride and the palm triglyceride are summarized in Tables 1 and 2 (pages 14 and 15), respectively.

Tables 1 and 2 (p. 14 and 15, respectively) describe the compositions of the soybean and palm waxes. Note that the fatty acid composition of the two waxes varies (fatty acid concentration determined by gas-liquid chromatography analysis), and for the convenience of the Board the fatty acid composition is summarized below in Table A:

Table A. Comparison of Inventive Wax Compositions

15		WAX		
	Fatty Acid	Soybean	Palm	
	C8:0 (%)		0.3 max*	
	C10:0		0.3 max	
	C12:0		0.5 max	
20	C14:0	3.0 max	1.1 max	
_	C16:0	3-14	39.5 miπ**	
	C18:0	82-94	53 min	
	C18:1		1.0 max	
	C18:2		0.5 max	
25	C20:0	5 max		

^{*} max=maximum quantity

The point of this comparison is to indicate that while the wax may comprise almost 98% by weight triglyceride (p. 15, line 9- p. 16, line 13) this triglyceride is still a mixture of fatty acids, although one type of fatty acid may be the majority or predominant one in the triglyceride. The triglyceride does not contain.100% by weight of any one particular fatty acid.

35 Claim 30 is recited below:

^{**}min=minimum quantity

30. A composition for application to a fibrous cellulosic material, the composition comprising a vegetable-derived triglyceride having a melting point greater than 120 degrees F, and being characterized by an iodine value between 0 and 30, the triglyceride comprising an oil selected from the group consisting of soybean, corn, cottonseed, rape, canola, sunflower, palm, palm kernel, coconut, crambe, linseed and peanut, the composition applied in a quantity sufficient to render the cellulosic material resistant to water, the applied composition being dispersible in a warm alkaline aqueous solution.

Claim 45

10

5

Independent Claim 45 describes a composition which, when applied to a fibrous cellulosic material, will render that material resistant to water. Claim 45 is a narrower claim than Claim 30; Claim 45 claims a range of melting points for the waxes, and an iodine value of between 2 and 5 for the waxes. An additional property of that composition is that when the material is placed into a warm alkaline aqueous solution, for example water, the applied composition is dispersible in that solution. In other words, the claim describes a vegetable derived triglyceride that can render a paper product water resistant, and when the coated paper product is immersed in warm alkaline water, the coating can be removed from the paper, enabling the coating and the paper to be recycled.

20

15

The triglyceride in this claim can be obtained from vegetables such as soybean and palm, and the other vegetables described for the waxes in the section above relating to clam 30.

25

The triglyceride is characterized by having a melting point that ranges from 136 degrees F to 160 degrees F, and has an iodine value that is between 2 and 5. The triglyceride comprises stearic acid (but see Tables 1 and 2, because this may be a majority fatty acid in the triglyceride, as discussed above). The composition is also characterized by having a viscosity ranging from about 10 cps to about 200 cps (when measured at 140 degrees F). The properties of the soybean triglyceride and the palm triglyceride are summarized in Tables 1 and 2 (pages 14 and 15), respectively.

30

Claim 45 is recited below.

35

45. A composition for application to a fibrous cellulosic material, the composition comprising a vegetable-derived triglyceride having a melting point between 136-160 degrees F, the triglyceride being characterized by having an iodine value of between 2 and 5, the composition being characterized by a viscosity of from about 10 to about 200 cps at 140 degrees F, wherein the

triglyceride comprises a fatty acid, the fatty acid being stearic acid, and wherein the triglyceride comprises an oil selected from the group consisting of palm and soybean oil, the composition applied in a quantity to render the cellulosic material resistant to water, the applied composition being dispersible in a warm alkaline aqueous solution.

5

RECEIVED CENTRAL FAX GENTER

6. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

FEB 0 5 2007

Claims 30-39, 41-42, 45 and 47 stand rejected under 35 U.S.C. 103(a) as being unpatentable over over three individual references, the Sleeter patent (U.S. Pat. No. 6,001,286, "the '286 reference"), WO96/00815 ("the '815 reference"), and an Abstract obtained through Derwent, RD 392017 ("the '017 reference").

In Applicants' May 2006 reply to an Office Action, a copy of the entire '017 reference was obtained and made part of the record in an Information Disclosure Statement, a copy is included in the Evidence Appendix

10

5

The rejections of these Claims could be grouped as follows:

Whether Claims 30-39, 42 and 47 are unpatentable under 35 U.S.C. §103(a), as being obvious based on Sleeter (U.S. Pat. No. 6,011,286).

15

20

25

Whether Claim 41 is unpatentable under 35 U.S.C. §103(a), as being obvious based on Sleeter (U.S. Pat. No. 6,011,286).

Whether Claim 45 is unpatentable under 35 U.S.C. §103(a), as being obvious based on Sleeter (U.S. Pat. No. 6,011,286).

Whether Claims 30-38, 41-42, 45 and 47 are unpatentable under 35 U.S.C. §103(a), as being obvious based on WO96/00815.

Whether Claims 30-33, 41 and 47 are unpatentable under 35 U.S.C. §103(a), as being obvious based on RD 392017.

Whether Claim 45 is unpatentable under 35 U.S.C. §103(a), as being obvious based on RD 392017.

30

10

15

20

25

30

35

7. ARGUMENT

RECEIVED CENTRAL FAX CENTER

FEB 0 5 2007

Rejection of Claims under 35 U.S.C. § 103

For purposes of this Appeal Brief, there will be separate arguments for the patentability of independent Claim 30 and independent Claim 45. Several dependent claims will be argued separately; otherwise the patentability of the dependent claims will depend upon the outcome of the argument for their respective independent claim.

A. Whether Claims 30-39, 42 and 47 are unpatentable under 35 U.S.C. §103 over Sleeter (U.S. Pat. No. 6,011,286).

1) Obviousness; Inherency

Claims 30-39, 42 and 47 were rejected under 35 U.S.C. §103(a) as being unpatentable over Sleeter U.S. Pat. No. 6,011,286 ("the '286 reference").

Applicant had traversed these rejections, and maintains that the rejection of Claim 30 and this group of related claims is improper. To reject a claimed invention based upon its obviousness over the prior art, the examiner must support such a rejection by establishing the invention's <u>prima facle</u> obviousness. The examiner must show where in the art cited there is a description of the claimed invention sufficient to have taught or suggested the invention to ordinarily skilled artisans of the time (see, e.g., <u>ACS Hospital Systems, Inc., v. Montefiore Hospital</u>, 221 U.S.P.Q. 929, 933 (F. Cir. 1984); see also, In re Fine, 5 U.S.P.Q.2d 1596 (F. Cir. 1988)).

Evaluation of whether the cited documents provide the necessary description requires consideration of "(1) whether the prior art would have suggested to those of ordinary skill in the art they should make the claimed [invention] ... and (2) whether the prior art would have also revealed that in so making ... those of ordinary skill would have a reasonable expectation of success" (In re Vaeck, 20 U.S.P.Q.2d 1438, 1442 (F. Cir. 1991)). "Both the suggestion and the reasonable expectation of success must be found in the prior art, not in the applicant's disclosure" (In re Vaeck, supra). That is, "one cannot use hindsight reconstruction to pick and choose amongst isolated disclosures in the prior art to deprecate the claimed invention" (In re Fine, supra at 1600).

Each claim limitation must be taught, either explicitly or implicitly by the teachings of the reference. Ex parte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985). "The examiner must make a convincing line of reasoning as to why the artisan would have found the

claimed invention to have been obvious in light of the teachings of the references." Exparte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985).

Regarding the nature of an obviousness question, in <u>In re Kotzab</u>, 55 USPQ2d, 1313, 1317 (Fed. Cir. 2000) stated

The motivation, teaching or suggestion may come explicitly from statements in the prior art, the knowledge of one of ordinary skill in the art, or, in some cases the nature of the problem to ve solved. <u>See Dembiczak</u>, 175 F.3d at 999, 50 USPQ 2d at 1617. The motivation, teaching or suggestion may be implicit from the prior art as a whole, rather than expressly stated in the references. See <u>WMS Gaming Inc.</u>

v. International Game Tech., 184 F.3d 1339, 1355, 51 USPQ2d 1385, 1397 (Fed. Cir. 1999). The test for an implicit showing is what the combined teachings, knowledge of one of ordinary skill in the art, and the nature of the problem to be solved as a whole would have suggested ti those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 425, 208 USPQ 871, 881 (CCPA, 1981) (and cases cited

5

10

٦.

15

20

25

30

35

The '286 reference allegedly teaches enhancing water resistance of materials such as fiberboard (1:54-67) with a composition of low iodine value (preferably 0-30, col. 1:40-52) triglyceride fats from plant or animal sources (col. 2:21-46), such as a soy stearine (Example 1).

The '286 reference does not disclose the MP or saponification value of the triglyceride, but because stearine is one of the triglycerides claimed by applicant, the stearine of '286 is alleged to have, inherently, the same MP and saponification value as that claimed by applicant. The '286 reference does not disclose the viscosity of the waxes used in its examples.

These allegations that the claimed properties are inherent in the reference are based merely on hindsight, because the teaching of applicants' claimed invention, and not that of the reference, is being used to teach what was not taught or recognized by the reference. The '286 reference does not discuss properties such as the melt point, saponification number or viscosity of the materials, as the examiner explicitly stated in the Office Action..

The Court of Claims and Patent Appeals ("the C.C.P.A.") and its' successor court, the Federal Circuit, have both held that such use of an applicant's application to complete gaps in the reference is improper. See In re Shetty, 195 USPQ 753, 756-57 (C.C.P.A. 1957) (that which is inherent in the prior art, if not known at the time of the invention, cannot form a proper basis for

BSN5 Div AppealBr 122006

therein).

10

15

20

25

30

35

rejecting the claimed invention as obvious under 35 U.S.C., §103(a))

In <u>In re Spormann</u>, 150 USPQ 449, 452 (C.C.P.A. 1966) the court stated: [T]he inherency of an advantage and its obviousness are entirely different questions. That which may be inherent is not necessarily known, Obviousness cannot be predicated on what is unknown.

The Federal Circuit stated that "Inherency is quite immaterial if ... one of ordinary skill in the art would not appreciate or recognize the inherent result" in <u>In re Rijckaert</u>, 28 USPQ2d 1955, 1957 (F.Cir. 1993).

The melt point, saponification number and viscosity are unknown in the '286 reference. Tables 1 and 2 of the present pending specification (p. 14-15, respectively) summarize properties of the inventive waxes, and the fatty acid composition of these waxes ranges from C_8 through C_{20} . The soy wax has a greater concentration range of $C_{18;0}$ (stearic acid) than the palm wax.

Therefore, because the reference failed to appreciate or recognize the properties Applicant claims in the present pending claims, under the case law it is impermissible to have employed the Applicants' teaching and recognition of the properties of the inventive waxes to fill in the gaps of the reference. Accordingly, the rejection of Claims 30-39, and 42 under 35 U.S.C. §103(a) are improper, and the Board must therefore reverse these rejections and find that these claims define patentable subject matter.

2) Claim 30: Recycling

At issue is whether Claim 30 requires recycling; the examiner alleges the claim only requires that the composition applied be dispersible in warm alkaline aqueous solution. Applicant submits that one skilled in the art would realize, from reading both the claims and the specification, that a coating being dispersible is a warm alkaline aqueous solution is recycling. For example, see the specification at page 16, lines 15-23; p. 17, lines 7-10 and 16-18, and p. 19, line 17 through p. 20, line 17, where Applicants refer to recycling, repulping and the use of warm alkaline aqueous mixtures to remove a coating for recycling.

Applicants reiterate the statements and case law previously cited regarding inherency, melting point and other parameters. It is the Applicants' teaching being used in hindsight to fill the gap of the reference, because the reference fails to recognize the recyclability of their composition. The '286 reference deals with rendering structural products water resistant;

it does not recognize, nor even attempt to determine, whether the applied composition is dispersible under aqueous conditions. Therefore, the rejections of Claim 30 under 35 U.S.C. §103(a) is improper and must be reversed by the Board.

3) Claim 47 and Material Types

5

At issue is whether the '286 reference teaches application of its' composition to a group of materials that is broader than oriented strand board and related structural materials, such as to fibrous vegetable materials (alleged to be inclusive of paper) and fiber board.

10

Applicants maintain that the '286 reference is in fact so limited. The title of the '286 reference refers to "composite boards". The specification focuses on using the material for composites such as

15

"particle board, plywood, oriented strand board ("OSB"), medium density fiberboard, hardboard, formed molded shapes, etc.. Adhesives and laminants alone or synergistically blended together are used to bond these materials into desired forms such as panels, structural shapes, etc." (col. 1, lines 56-61).

20

The examiner is correct in her assertion that, in general, a restriction requirement would not be a proper place for a detailed study of the potential uses of the composition, the fact that the patentee's attorneys put such a discussion on the record during the prosecution of that patent cannot be ignored. The prosecution history is an important part of any patent (See Markman v. Westview Instruments,517 U.S. 570, 1996), used in matters of claim interpretation, and determining the patentee's (or patent applicant's) intention of language used in the specification and claims.

25

30

35

Because the file history of the '286 reference includes statements from the patentee's attorney that the scope of the '286 reference was Intended to be limited to structural products, because such a limitation would be read into the patent by a federal district court construing its' claims during litigation, it follows that such limitations should be given to the patent when used as a reference. In the "Election and Traverse of Restriction Requirements" filed 13 October 1988, the patentee's attorney states, at two locations within the document, that "The invention relates to waterproofing a composite board or panel" (p. 2, second to last paragraph, first line), and "Here, the invention is a process for making a new and novel composite panel which, in turn, has superior characteristics." (p. 3, paragraph under the heading of "Necessity Test", second and third lines). A copy of the "Election and Traverse of Restriction Requirements" filed 13 October

10

15

20

25

30

35

1988, is attached hereto in the Evidence Appendix, and is part of the record, having been attached to the amendment filed May 2006.

Thus construing this limitation by the '286 patentee's attorney in view of the '286 reference, one of ordinary skill in the art would conclude that the reference did intend to teach use of such coatings for oriented strand board and composite panels.

In view of such an explicit admission of how the inventor viewed the scope of the patent, as stated by the patentee's attorney during the prosecution of the '286 reference, it is clear that the '286 reference did not intend to cover the fibrous cellulosic articles claimed by the Applicants in the present application.

Thus, when viewed as a whole, Applicants respectfully submit that the '286 reference suggests to one skilled in the art to use the materials of the reference for structural products; there is no motivation for using the teachings of the '286 reference for coating paper products and related materials as claimed in the present application.

The general nature of the products being used in the '286 reference are wood products, and are used in their native state without extensive processing. Products such as the paper, boxboard and other fibrous cellulosic products that Applicants utilize in the present invention are derived from wood by extensive chemical processing of the wood, such that the products no longer resemble the original wood from which they are derived.

In the R. 132 Declaration submitted with the amendment filed 18 May 2006, and attached hereto in the Evidence Appendix, one of the inventors, Mr. Borsinger, in ¶¶15-18 described these differences between fibrous cellulosic products that are derived from wood, such as paper and cardboard, and distinguished these products from lumber or strand board, products made with wood. Although the '286 reference refers to fibrous products from agricultural materials (Abstract; col. 3, lines 8-9), col. 1, lines 4-8 refer to composite panels such as oriented strand board, and, as stated previously, the examples only deal with oriented strand board. This Declaration, in conjunction with the evidence of the patentee's attorney, and the contents of the '286 reference, Applicants submit do not teach the use of fibrous cellulosic products to be coated with a highly hydrogenated, vegetable derived wax, as claimed in the present pending application.

Therefore, Applicant respectfully submits that the rejection of Claims 30-39, 41-42, 45 and 47 under 35 U.S.C. §103(a) were improper, these Claims define patentable subject matter, and that the Board respectfully must reverse the rejection of these claims.

10

15

20

25

30

35

B. Whether Claim 41 is unpatentable under 35 U.S.C. §103 over Sleeter (U.S. Pat. No. 6,011,286).

At issue is whether the '286 reference means the composition is 100% triglyceride, thereby meeting claim 41 according to the examiner, because the reference indicates that dry particles of the triglyceride may be sprayed onto the substrate (col. 3:1-19). Applicant repeats herein the basic argument and legal authorities cited in Argument Section A above.

But the reference states this spray application is performed prior to the material being laminated or pressed. The application of the dry particles is thus merely an intermediate step in the process, and because later steps of the process utilize additional materials, one skilled in the art can only speculate as to what the final concentration of the sprayed on material may be in the final product. Secondly, even if the material onto which the triglyceride is sprayed were to be treated in a warm alkaline aqueous solution, there is no evidence in the '286 reference that such an applied coating would be recyclable.

In both of the situations described in this section, the examiner is merely using hindsight speculation and the teachings of Applicant's invention to impermissibly fill in gaps in the reference. Accordingly, the rejection of Claim 41 under 35 U.S.C. §103(a) is improper and must be reversed by the Board.

C. Whether Claim 45 is unpatentable under 35 U.S.C. §103 over Sleeter et al. (U.S. Pat. No. 6,011,286).

1) Iodine values, Properties, Inherency

Applicants reiterate the statements and case law previously cited regarding inherency, melting point and other parameters. It is the Applicants' teaching being used in hindsight to fill the gap of the reference, because the reference fails to recognize any such properties of their composition.

Claim 45 claims use of a wax with an iodine value in the range of 2-5, and includes additional properties such as the range of melting points of the wax, and the viscosities of the inventive waxes.

Example 3 of the '286 reference explicitly states that "In practice, the expense of BSN5 Div AppealBr 122006 16

hydrogenating oils to 0 IV makes it necessary to find trade-offs which must be factored in for the performance that is gained versus the expense to produce". (col, 4, lines 62-65). As a result of this trade-off, Sleeter thus uses materials that have a much higher iodine value, which he also notes effect a decline in performance as the iodine value increases. Such a statement, in conjunction with the lack of information about the other properties of the waxes, suggest that the '286 reference in fact teaches away from the present invention.

The Federal Circuit stated in In re Gurley (31 USPQ2d, 1131, 1132, F. Cir. 1994), that:

A reference may be said to teach away when a person of ordinary skill, upon reading the reference, would be discouraged from following the path set out in the reference, or would be led in a direction divergent from the path that was taken by the applicant. The degree of teaching away will of course depend on the particular facts; in general, a reference will teach away if it suggests that the line of development flowing from the reference's disclosure is unlikely to be productive of the result sought by the applicant. [citations omitted].

15

10

5

Therefore, the rejection of Claim 45 under 35 U.S.C. §103(a) is improper and must be reversed by the Board.

2) Claim 45: Recycling

20

25

35

At issue is whether Claim 45 requires recycling; the examiner states these claims only require that the composition applied be dispersible in warm alkaline aqueous solution. Applicant submits that one skilled in the art would realize, from reading both the claims and the specification, that a coating being dispersible is a warm alkaline aqueous solution means recycling. For example, see the specification at page 16, lines 15-23; p. 17, lines 7-10 and 16-18, and p. 19, line 17 through p. 20, line 17, where Applicants refer to recycling, repulping and the use of warm alkaline aqueous mixtures to remove a coating for recycling.

Applicants reiterate the statements and case law previously cited regarding

inherency, melting point and other parameters. It is the Applicants' teaching being used in hindsight to fill the gap of the reference, because the reference fails to recognize any such properties of their composition. The '286 reference deals with rendering structural products water resistant; it does not recognize, nor even attempt to determine, whether the applied composition

is dispersible under aqueous conditions. Therefore, the rejection of Claim 45 under 35 U.S.C. §103(a) is improper and must be reversed by the Board.

D. Whether Claims 30-38, 41-42, 45 and 47 are unpatentable under 35 U.S.C. §103(a) based on WO96/00815.

1) Claims 30-38, 41-42, 45: Inherency

Claims 30-38, 41-42, 45 and 47 were rejected under 35 U.S.C. 103(a) as being unpatentable over WO 96/00815 ("the '815 reference").

The '815 reference allegedly teaches applying a coating containing a triglyceride such as tristearin or a hardened vegetable oil to a paperboard, in order to make the coated paperboard more repulpable. Tristearin is stated to be a triglyceride with stearic acid; and additives such as beeswax, a type of paraffin (page 5), may also be present. The coating composition may be applied in the molten state (p 5), allegedly meeting the requirements of claim 41. The '815 reference discloses that the triglycerides may be removed from paperboard by several different means, including hot water (pp 6-7) or saponification under alkaline conditions (p. 7).

15

10

5

It is alleged that tristearin is a claimed triglyceride, and that although the '815 reference does not disclose the iodine value, MP or saponification value of the triglyceride, the tristearin of '815 would inherently have the same properties as that claimed.

20

The '815 reference does not disclose the iodine value, MP or saponification value, or viscosity of the triglyceride and these properties are alleged to be inherent, and the same as those values claimed.

2) Claims 30 and 45: Repulping

25

Also at issue is whether the '815 reference, taken as a whole, teaches repulping of the coated material. The Examiner argues that p. 8 of the reference lists repulping as a method of removing triglycerides from paperboard

30

Applicants reiterate the legal authorities cited in the previous sections of the Argument in response to the rejection of Claims 30 and its related group of claims and Claim 45. Applicants also reiterate the statements and case law previously cited regarding inherency, melting point and other parameters regarding the '286 reference.

35

The federal courts have held that in performing an obviousness analysis, one must also consider if the prior art provides the required expectation of success, as "both the suggestion

10

15

20

25

35

and the expectation of success must be founded in the prior art, not in applicant's disclosure." See In re Dow Chemical Co. v. American Cyanamid Co., 5 USPQ, 1529, 1531 (F. Cir. 1988).

As stated previously, each claim limitation must be taught, either explicitly or implicitly by the teachings of the reference. Ex parte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985). "The examiner must make a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references." Ex parte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985).

The MPEP §2142 further states that "When the motivation to combine the teachings of the references is not immediately apparent, it is the duty of the examiner to explain why the combination of the teachings is proper, <u>Ex parte Skinner</u>, 2 U.S.P.Q.2d 1788 (Bd. Pat. App. and Inter. 1986).

It is the Applicants' teaching being used in hindsight to fill the gap of the '815 reference, because the reference fails to recognize any such properties of their composition. The '815 reference deals with tristearin; Applicants claim a triglyceride which has a stearic acid as a major component. Tables 1 and 2 of the specification (p. 14-15, respectively) summarize properties of the inventive waxes, and the fatty acid composition of these waxes ranges from C₈ through C₂₀. The soy wax includes a greater concentration range of C_{18:0} (stearic acid) than the palm wax, but this fatty acid is not the only fatty acid in the inventive waxes (see Tables 1 and 2 at p. 14-15 of the specification, or the summary at p. 7 of this Brief). Therefore, these Claim rejections under 35 U.S.C. §103(a) are improper and must be withdrawn:

The '815 reference notes that repulping (optionally with flotation) is one of several potential methods for removal of triglycerides from paperboard (p.6-7), and the inventors did "initial trials using boxboard coated with a coating comprising 97% hardened tallow and 3% polyethylene plasticizer" (p.15).

Tallow is known as a mixture of fats, generally obtained from beef and sheep (The Merck Index, 13th Edition, 2001, entry no.: 9131, p. 1613-1614, Evidence Appendix), it's composition includes the following glycerides:

oleic acid 37-43% palmitic acid 24-32% stearic acid 20-25% myristic acid 3-6%

linoleic acid 2-3%, with minor amounts of cholesterol and other fatty

acids.

But tallow, as described above, and in the '815 reference (combination of fats, generally from beef at p. 4, line 33- p. 5, line 1) is quite different from the vegetable-derived waxes of the present invention (see summary at p. 7 of this Brief).

5

10

The '815 reference indicates these were initial studies, but teaching the use of a plasticizer in combination with a tallow would not lead one of ordinary skill in the art to employ a vegetable-derived wax without any plasticizer, as Applicants have done in the presently claimed invention. One of ordinary skill in the art, following the teachings of the '815 reference as a whole, would pursue the development of wax coatings that include a plasticizer, rather than the highly hydrogenated waxes derived from vegetable oils employed by the Applicants, to solve the problem of preparing a water resistant coating that is recyclable.

Accordingly, the rejection of Claims 30-38, 41-42, 45 and 47 is improper under 35 U.S.C. §103(a), and the Board must therefore reverse these rejections, and find that these claims define patentable subject matter.

E. Whether Claims 30-32, 41 and 47 are unpatentable under 35 U.S.C. §103(a) based on RD 392017 ("the '017 reference").

20

25

15

1) Claims 30-31 and 47

These claims were rejected on the allegation that the '017 reference teaches a waterproofing coating for paper, and that the paper is easily recycled. The Examiner indicates that the reference did not teach a recycling method, but that it would have been obvious to one of ordinary skill in the art to have selected a conventional method such as a warm alkaline bath.

Applicant reiterates the legal reasoning of the previous sections of the Argument. The Board has stated "The examiner must make a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references." Ex parte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985). Applicants can only speculate on the reason for the rejection of these claims in view of the Board's opinion in Ex parte Clapp.

35

30

The example in the '017 reference mixes a palm stearine having an iodine value of 12.7 (sample I) with another having an iodine value of 38.2 (sample II), in different proportions, to

give an array of different products having ratios of I:II ranging from 90:10 to 10:90, but the iodine values of these different products are not specified in the reference. The Figure illustrates the fat content plotted as a function of temperature, what is referred to as the plasticity of the mixture.

As Applicants have discussed in reply to the previous Office Action, and which is reiterated herein, the '017 reference (p.772) explicitly states

It is not necessarily an advantage to work with fully or nearly fully hydrogenated mixtures of triglycerides, as they tend to have a sharp melting profile, i.e., they are more brittle and sometimes tend to crack on the paper.

10 1

5

Reading that, in conjunction with the '017 reference specifically stating avoiding the use of hydrogenated fats and oil, one of ordinary skill in the art would indeed, not want to use hydrogenated fats and oils to obtain a paper coating.

15

This is the true definition of "teaching away" as noted by the Federal Circuit when it said in <u>In re Gurley</u> (31 USPQ2d at 1131), that:

20

A reference may be said to teach away when a person of ordinary skill, upon reading the reference, would be discouraged from following the path set out in the reference, or would be led in a direction divergent from the path that was taken by the applicant. The degree of teaching away will of course depend on the particular facts; in general, a reference will teach away if it suggests that the line of development flowing from the reference's disclosure is unlikely to be productive of the result sought by the applicant. [citations omitted].

25

Further, the Federal Circuit, in <u>McGinley v. Franklin Sports Inc.</u> (60 USPQ2d 1001, F. Cir. 2001) stated:

We have noted elsewhere, as a "useful general rule," that references that teach away cannot serve to create a prima facie case of obviousness. <u>In re Gurley</u>, 31 USPQ2d 1131, 1132 (Fed. Cir. 1994).

30

35

The '017 reference merely mentions the desirability of incorporating an emulsifier into the coating wax to make the used coated paper more recyclable. But the reference only teaches that the mixtures of palm stearines had a plasticity comparable to that of an unnamed and unspecified commercial product. There is no demonstration that the mixtures are actually being used, or could be used, as paper coatings, let alone any demonstration that papers coated with any

of the mixtures could be recycled. Note that even the key words listed for the reference fail to list recycling

2) Claims 33 and 41

5

10

15

20

25

30

Specifically regarding Claims 33 and 41, there simply is no indication of either the viscosity or the composition of the triglycende in the reference.

Applicants repeat the case law and legal authorities recited in the previous sections of the Argument.

Under the legal authority requiring the examiner to make a convincing argument why the reference teaches the subject matter of the claimed invention, as a whole, the examiner has failed to meet this legal burden. Given the analysis Applicant has gone through in section F.1) of this Argument, there is sufficient proof that the rejection of these claims was speculative, leaving one to guess at the underlying rationale for the rejection of the claims. The rejection was merely too speculative. Accordingly, the Board must find that the rejection of Claims 33 and 41 were improper, reverse the rejection of these claims, find that they determine patentable subject matter, and thus allow these claims.

F. Whether Claim 33 is unpatentable under 35 U.S.C. §103(a) based on RD 392017 ("the '017 reference").

Applicant reiterates the legal reasoning of the previous sections of the Argument, in particular those recited in Section E above. Claim 33 refers to the viscosity of the inventive triglyceride. The '017 reference uses a mixture of triglycerides, but aside from the individual iodine values of the components before they are mixed together, and the ratio of the two components in the mixture, to conclude that even one of these mixtures has a viscosity within the range specified in claim 33 is purely guesswork. The '017 reference fails to describe viscosity of any of either one of the individual components used to make the mixtures, nor does it discuss the viscosity of the mixtures actually tested. The Board has stated "The examiner must make a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references." Ex parte Clapp, 227 U.S.P.Q. 972, 973 (Bd. Pat. App. and Inter. 1985). There is no convincing reason for the rejection of this claim based on the '017 reference, and accordingly, the Board must reverse the rejection of Claim 33.

8. CONCLUSION

Applicant respectfully submits that Claims 30-39, 41, 42, 45, and 47 define patentable subject matter, and for the reasons presented above, the Board must reverse the rejections of these Claims, determine that these Claims define patentable subject matter, and allow the present pending Claims.

Respectfully submitted,

10

5

BENJAMIN APPELBAUM

Reg. No. 38,068

Attorney for Applicant

15

Dated: February 5, 2007

Benjamin Appelbaum, Ph.D.

20 Attorney-At-Law

27 Bennington Dr

Flanders New Jersey 07836

Tel: (973)-927-5573

Fax: (973)-584-2621

25

9. CLAIMS APPENDIX

RECEIVED CENTRAL FAX CENTER

FEB 0 5 2007

Claims involved in this appeal are:

1 through 29, inclusive (Cancelled)

5

10

- 30. A composition for application to a fibrous cellulosic material, the composition comprising a vegetable-derived triglyceride having a melting point greater than 120 degrees F, and being characterized by an iodine value between 0 and 30, the triglyceride comprising an oil selected from the group consisting of soybean, corn, cottonseed, rape, canola, sunflower, palm, palm kernel, coconut, crambe, linseed and peanut, the composition applied in a quantity sufficient to render the cellulosic material resistant to water, the applied composition being dispersible in a warm alkaline aqueous solution.
- 31. The composition as described in claim 30, wherein the melting point is from about 130 degrees
 F to about 165 degrees F.
 - 32. The composition as described in claim 31, wherein the melting point is from about 136 degrees F to about 160 degrees F.
- 33. The composition as described in claim 31, wherein the composition is further characterized by having a viscosity of from about 10 to about 200 cps at a temperature of 140 degrees F.
 - 34. The composition as described in claim 33, wherein the triglyceride is characterized by an iodine value between 0 and 10.
- 25
- 35. The composition as described in claim 34, wherein the triglyceride is characterized by an iodine value from about 2 to about 5.

BSN5 Div AppealBr 122006

24

- 36. The composition as described in claim 34, wherein the triglyceride comprises a fatty acid, the fatty acid having from about 8 to about 22 carbon atoms.
- 37. The composition as described in claim 36, wherein the fatty acid is stearic acid.
- 38. The composition as described in claim 33, further comprising one or more compounds chosen from the group consisting of paraffins, microcrystalline waxes, stearic acid, and oleic acid, and wherein the triglyceride comprises from about 50% to about 99% of the composition.
- 39. The composition as described in claim 38, further comprising one or more compounds chosen
 from the group consisting of dispersants and surfactants.
 - 40. (Cancelled)
 - 41. The composition as described in claim 30, wherein the triglyceride comprises from about 80 to about 100% by weight of the composition.
 - 42. The composition as described in claim 31, wherein the triglyceride is characterized by having a saponification value of from about 150 mg/g KOH to about 200 mg/g KOH.
- 20 43-44. (Cancelled)

25

45. A composition for application to a fibrous cellulosic material, the composition comprising a vegetable-derived triglyceride having a melting point between 136-160 degrees F, the triglyceride being characterized by having an iodine value of between 2 and 5, the composition being characterized by a viscosity of from about 10 to about 200 cps at 140 degrees F, wherein the triglyceride comprises a fatty acid, the fatty acid being stearic acid, and wherein the triglyceride comprises an oil selected from the group consisting of palm and soybean oil, the composition BSN5 Div AppealBr 122006

applied in a quantity to render the cellulosic material resistant to water, the applied composition being dispersible in a warm alkaline aqueous solution.

- 46. (Cancelled).
- 5 47. The composition as described in claim 30, wherein the fibrous cellulosic material is chosen from the group consisting of paper, kraft paper, corrugated paper, linerboard and paperboard.

10. EVIDENCE APPENDIX (Evidence follows Table of Authorities)

FEB 0 5 2007

- A. Declaration of Mr. Gregory Borsinger under 37 CFR 1.132.
- B. Database WPI-XP-002239726 12-10-1996, Aarhus Oliefabrik, (RD 392017 A).
- C. Election and Traverse of Restriction Requirements filed 13 October 1988
- D. The Merck Index, 13th Edition, 2001 entry no.: 9131, p. 1613-1614

RECEIVED CENTRAL FAX CENTER

RELATED PROCEEDINGS APPENDIX 11.

FEB 0 5 2007

(NONE)

RECEIVED CENTRAL FAX CENTER

12. TABLE OF AUTHORITIES

FEB 0 5 2007 Page

STATUTES

5		35 U.S.C. 103(a)	28
	RULES		
		37 C.F.R. 41.37(c)(1)(v)	6
10	MANUALS		
		MPEP §21421	9
	CASE\$		
		ACS Hospital Systems Inc. v. Montefiore Hospital, 221 USPQ 929, 933	
15	(F. Cir. 1984)		1
		Ex parte Clapp, 227 USPQ 973, 974 (Bd. Pat. App. And Inter., 1985)	•
	• • • • • • • • • • • • • • • • • • • •		2
		Ex parte Skinner, 2 USPQ2d 1788 Bd. Pat. App. And Inter., 1986)	9
		In re Dow Chemical Co. v. American Cyanamid Co., 5 USPQ2d 1529, 1531 (F. Cir	۲.
20	1988)		Э
		<u>In re Fine</u> , 5 USPQ2d 1596 (F. Cir. 1988)	
		In re Gurley, 31 USPQ2d 1131 (F. Cir. 1994)	
		<u>In re Kotzab</u> , 55 USPQ2d 1313, 1317 (F. Cir. 2000)	
		In re Rickaert, 29 USPQ2d 1955, 1957 (F. Cir. 1993)	3
25		<u>In re Shetty</u> , 195 USPQ 753, 756-757 (CCPA. 1957)	2
		<u>In re Spormann</u> , 150 USPQ 449, 452 (CCPA 1966)	_
		In re Vaeck, 20 USPQ2d 1438, 1442 (F. Cir. 1996)	ł
		Markman v. Westview Instruments, 517 U.S. 570 (1996)	
		McGinley v. Franklin Sports, Inc., 80 USPQ2d 1001 (F. Cir. 2001)	
30		· · · · · ·	
	REFERENCE	BOOKS	
		The Merck Index, 13th edition, 2001., pp. 1613-1614, entry no. 9131 19	J

EXHIBIT A

Pat. Ser. No. 10/669,357

CENTRAL FAX CENTER IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

FEB 0 5 2007

RECEIVED

Applicant: AZIZ HASSAN et al. Atty. Docket No.:BSN5DIV

Serial No: 10/669,357

Filed: 25 September 2003

Examiner: ERMA C. CAMERON

Group Art Unit: 1762

For: REPULPABLE WAX

DECLARATION UNDER 37 CFR 1.132

- I, Gregory G. Borsinger, do hereby declare that:
- 1. I am one of the inventors of the above-referenced U.S. Patent Application.
- 2. I make this Declaration in support of the above-referenced U.S. Patent Application.
- 3. This Declaration is being submitted simultaneously with an Amendment in reply to Office Paper No./Mail Date 110905, mailed 14 November 2005.
- This Declaration is being submitted in response to the Examiner's rejection of Claims 30-39, 41-42 and 45 under 35 U.S.C. §103(a).
- 5. I have been working in the chemical industry for over twentyfive (25) years.
- I have an undergraduate degree in Mechanical Engineering, am licensed in the states of New Jersey and New York as a Professional Engineer (P.E.), and hold a Master of Business Administration (M.B.A.) degree.

Page 1 of 7

- 7. I had been employed by Allied-Signal Corporation, where I served as a Manager for the corporation's Polyethylene Wax business.
- 8. During the period I was at Allied-Signal, the corporation was considered to be this country's largest producer of synthetic waxes.
- 9. I currently serve as a Consultant to Marcus Oil and Chemical Company ("Marcus") of Houston, Texas, a Division of HRD Corporation, the assignee of the pending patent application.
- 10. I have been a Consultant to Marcus for approximately six (6) years.
- 11. My services for Marcus include performing applications testing for various products.
- 12. Claims 30-39, 41-42 and 45 were rejected under 35 U.S.C.§103(a) as being unpatentable based on several references cited in the Office Paper mailed 14 November 2005.
- 13. U.S. Pat. No. 6,011,286 ("the '286 patent") to Sleeter addresses the use of oils in the preparation of oriented strand board ("OSB"), which is used as a structural building product.
- 14. Claims 30 and 45 of the pending patent application indicate the composition is used as a repulpable, waterproof coating for fibrous cellulosic products.
- 15. The '286 patent refers to the use of a triglyceride to enhance the water tolerance of composite boards, a structural building

Page 2 of 7

product.

- 16. A fibrous cellulosic product is considered to be a product, derived from wood pulp though a process that involves chipping of the wood into small particles, followed by digesting the wood chips in an alkaline solution (the most common of which is referred to as the Kraft process). The purpose of the alkaline solution is to digest or dissolve the lignin, which is the main component of the inter-cellular material, rendered, such that the material loses its rigidity and takes on a fibrous configuration. The composite boards of the '286 patent include OSB, and other rigid materials such as wood, particle board, or plywood, which are not fibrous products because they are still structurally intact due to the presence of lignin.
- 17. The fibrous cellulosic products claimed in the present pending application and the composite boards described in the '286 patent contain cellulose. They are, however, different because the structural board form used in the '286 patent contains lignin to provide it with its' structure, and lignin is absent from the fibrous cellulosic products claimed in the present pending application.
- 18. Based on my experience in the industry, a person following the '286 reference would not employ its' teachings with fibrous cellulosic materials. Additionally the properties, such as the absorption characteristics, chemical composition and structural properties of articles made from wood particles such as described in the '286 reference differ from those made with the cellulosic fibers described and claimed in the present pending specification and claims.

Page 3 of 7

- 19. Claims 30-39 and 41 were rejected under 35 U.S.C. §103(a) as being unpatentable based on RD 392017 ("the '017 reference"), in which a mixture of palm stearines was stated as teaching a waterproof coating for paper.
- 20. As stated in the specification (page 1, lines 28-30, and p. 2, lines 14-20 of the substitute specification filed 6 Dec. 2004, and Claims 38-39), other additives can be added to the claimed composition to give it more plasticity, but unlike those cited in the Mettler reference (EP 0 536 861 Bl, cited in the '017 reference), the claimed invention does so without the use of animal fats (Claims 30 and 45, for example, referring to vegetable-derived products). The absence of such animal fats in Applicants' composition is advantageous, because it is generally known that members of several religious groups will not use products known to contain animal fats, or which may have been in contact with such fats.
- 21. The patent application WO 96/00815 ("the '815 reference") has been cited to reject Claims 30-38, 41-42 and 45 as unpatentable under 35 U.S.C. §103(a).
- 22. From my experience in the field, and from discussions with other industry personnel, although the '815 reference describes a paper coating, the invention described in this patent application is not used in the industry.
- 23. The problem with the product and process of the '815 reference is that there is excessive blocking, or sticking together of the materials, that are treated with this product. The melting point of the materials used in the '815 reference are not specified.

Page 4 of 7

FEB-05-2007 17:46 BENJAMIN APPELBAUM 9735842621 P.39

24. Blocking is considered to be an undesirable property of material used as a coating.

- 25. Blocking is known among those in the industry as being caused by either the product having too low of a melting point, or the presence of low molecular components in the product which contribute to the blocking.
- 26. The melting points of the waxes claimed in the present application are sufficiently high to prevent this blocking problem.
- 27. In a series of experiments following the procedures of ASTM D-1465, using either the "wax picking" or "wax blocking" temperature (there was no observable difference between the two versions, we found that the data, reported as the Wax Blocking Temperature, tracked closely with the melting point of the particular waxes tested.
- 28. The "wax picking" temperature is the temperature where the wax coated paper first begins to transfer to a second, uncoated paper substrate on a heat gradient bar.
- 29. The "wax blocking" temperature is the temperature where 50% of the wax film distorts and transfers to a second, uncoated paper substrate on a heat gradient bar.
- 30. The data, shown in Fig. 1 attached hereto, is compared with a series of paraffins having specific melting points. The Nat 155 wax is the claimed soy wax. The blocking temperature of the Nat 155 wax is about 147 degrees F; its' Mettler drop point (Table 1 on page 14 of the substitute specification filed 6 Dec. 2004) is about 155-160 degrees F.

Page 5 of 7

31. The following soy waxes and their respective iodine values (IV) are:

Nat 116, IV about 65;

Nat 125, IV about 55;

Nat 147, IV about 15; and

Nat 155, IV about 2.

- 32. Thus, the melting points of the claimed waxes are significant properties that were not appreciated by those skilled in the art, and were not recognized or appreciated in the references cited.
- 33. CITGO Petroleum Corporation, Tulsa, OK, is a manufacturer of petroleum-based waxes, such as paraffin waxes.
- 34. CITGO produces several different lines of wax products, among which are a Cascade Wax called Satur-Kote, and PACEMAKER® Waxes, described in CITGO product literature attached hereto as Exhibits A and B, respectively.
- 35. CITGO's Cascade Wax (Exhibit A) is designed to be used in cascading and other saturating wax operations, ways that are similar to how the inventive waxes are to be used. The melt point of the Cascade Wax is higher than the blocking temperature of the wax, 132 degrees F compared to 111 degrees F., respectively.
- 36. The datasheet for the PACEMAKER® Waxes (Exhibit B) also shows that the melting temperature of the wax is higher than the blocking temperature of the wax, the melting temperatures being as low as 21 degrees below the melting temperature (PACEMAKER® 42) to over 40 degrees difference (PACEMAKER® 30).
- 37. The CITGO documents indicate that the melting point and the

Page 6 of 7

blocking point of the wax are factors in determining the use of the wax, and that the present pending claims regarding the melting point of the wax are not a mere property of the composition.


38. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C.\$1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

This declaration was executed by me on 12 May, 2006 at

BSN5 Div R132 Decl 052006.wpd

Page 7 of 7





Wax blocking temperatures according to ASTM D-1465

NAT 116, 125, 147 and 155 are hydrogenated soy waxes supplied by Marcus Oil & Chemical, Houston TX. The Nat waxes were hydrogenated to different iodine values. The lower the iodine value the higher the melt point. The melt point of these waxes are as indicated by the number following the NAT prefix (i.e. NAT 116 = melt point of 116F).

Waxes identified as 117F, 125F and 139F were petroleum based waxes sourced from CITGO Petroleum Corp. Tulsa, Oak with the melt points as indicated.

Sasol R-7152 is a synthetic Fischer-Tropsch wax produced by Sasol Wax Sasolburg, South Africa with a melt point of 155F.



CITIED Wax Products

Pacemaker® Waxes

CITGO Pacemaker Waxes are a complete line of fully refined paraffin waxes, recommended for applications demanding the ultimate in refinement and product uniformity. Some of the outstanding points of these waxes are:

- Filtered and percolated to be odor free, taste free and water white in color.
- Surpass current FDA requirements for food grade waxes, and are approved by the U.S. Department of Agriculture.
- Manufactured in different melt point grades offering a wide selection for any paraffin wax requirement.
- Available in 2,000 pound palletized carton, liquid bulk tank trucks or liquid bulk tank cars.



Typical Properties

[14] 新林岛东 广岛		PACEMAKERE				3010
A Procedure	30 32	美国基础	37 1 7	123		
Matter (fin fin) Defr.	122-127, 127	39 , 130-132 /	132534	134,139	1016	145-150
Cla Content, We 78, 17721 31	<0.50 -0.5	e (s050)	c0.50	-0.50	c0.50 ≓ •	d0.50 👈
Color Saybol D156	30 30	30	30	30	30	20
Cook Balan CC-W-4	ME NE	NL	NR.	NE.	NOT	Mt 3 1/1
Hear Stability CC-W-7	PASS PAS	S PASS	PASS:	PASS	PASS	PASS
Hecker Pini 877 P. DKS21	15	14	34 3	13	13.	1
Neerse Pan, 9-1007F 01321	103		43	2) ^u · · · · ·	18	16
Neede Pen 6 (107F 0132)	na no	3 198 S	96	50	40	34
Blocking Pt. (F) DSC	87 89	3.10 21. 300余	96	114000	113	125
Maccosity & 100°C D445	3.12	3.50	3.64	4.16	4.63	4.79

Because of oracing research and development, the conducts described above are subject to physical property and formulation obscupe without notice

There are additional products, or CITGO can design blends for specific customer applications. All Pacemaker waxes meet FDA requirements listed in CFR 21 172.886 and 178.3710.

For additional information, or to place an order, contact:

CITGO Petroleum Corporation Lubes & Specialty Products

P.O. Box 3756 Tulsa, OK 74102

or phone toll free:

1-866-CITGOWX (248-4699)

FAX: 1-800-845-5669 E-mail: citgowax@citgo.com

01/61



LI TEL WAX PERMITS

Cascade Wax

CITGO Satur-Kote is a blend of various waxes and an additive. The proper balance of these selected materials has been designed to take advantage of the superior qualities which each imparts toward enhancing water holdout, increased strength and board stiffness properties. This product was formulated primarily for Cascade and other saturating wax operations and may also be used for roll coating.



CITGO Satur-Kote 200 has the following characteristics:

- · Excellent color and color stability combined with low odor.
- Meets all FDA and USDA requirements for food packaging.
- Produces a smooth satin finish, free of striation and "orange peel."
- High blocking temperature reduces potential blocking problems.
- Wet strength and/or compression of corrugated boxes are greatly improved.
- Suggested applications temperature for Cascading 190 - 200°F.

CITGO Satur-Kote is available in 2,000 pound palletized cartons. Liquid bulk deliveries are also available in tank trucks or tank cars.

Typical Properties

CITGO SK 200	
Melingreont *E.ASTMD 87	1321
Oil Content, %	-0,7
Color Saybolt	20
Needle Penetration, 7/77	UUX
Blocking Temperature 7	111
Viscosity cot 4 10075	85
Fash Point ? E	420
Cloud Point F. 17	165

There are additional products, or CITGO can design blends for specific customer applications. Above product meets FDA requirements listed in CFR 21 175.105, 176.170 and 176.180.

For additional information, or to place an order, contact:

CMGO Petroleum Corporation Lubes & Specialty Products P.O. Box 3758 Tutsa, OK 74102

or phone toil free:

1-866-CITGOWX (248-4699)

FAX: 1-800-645-5669 E-mail: citgowax@citgo.com

01/01

EXHIBIT B

Pat. Ser. No. 10/669,357

DERWENT-ACC-NO:

1997-085283

DERWENT-WEEK:

199708

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Paper coating for waterproof barrier for food packaging

material - by using high melting non hydrogenated triglyceride fraction mixt, with vegetable or animal fat

free of trans-fatty acid for safe digestion

PATENT-ASSIGNEE: AARHUS OLIEFABRIK AS[AARH], ERIKSEN J[ERIKI]

PRIORITY-DATA: 1996RD-0392017 (November 20, 1996)

PATENT-PAMILY:

PUB-NO

PUB-DATE

LANGUAGE

000

PAGES MAIN-IPC

RD 392017 A

December 10, 1996

N/A

D21H 000/00

APPLICATION-DATA:

PUB-NO

APPL-DESCRIPTOR

APPL-NO

APPL-DATE

RD 392017A

N/A

1996RD-0392017

November 20, 1996

INT-CL (IPC): D21H000/00

ABSTRACTED-PUB-NO: RD 392017A

BASIC-ABSTRACT:

The coating of paper to obtain a waterproof barrier comprises:

- (i) using high melting non hydrogenated triglyceride fractions alone or as mixtures with vegetable or animal fats; where:
- (a) an emulsifier is incorporated into the coating wax.;
- (b) the emulsifier being distilled monoglycerides or derivatives; and
- (c) the amount is 1-8 % in the coating material.

USB - Used as a food packaging material.

ADVANTAGE - Easy recyclability of used coated paper is oldd. to accomplish satisfactory products with sufficient plasticity similar to the paraffinic wax products totally free of trans-fatty acids which is more healthy.

Compared to paraffin waxes triglycerides can be digested and metabolised without risk when the coating is migrating into the food products.

EXAMPLE - A palm stearin having a indine value 12.7 (1) was mixed with a palm stearin having the lodine value 38.2 (II) in different proportions giving an array of different products.

By way of comparisons a product from the market comprising partly hydrogenated and fractionated vegetable triglycerides was included.

It appeared that the plasticity was similar.

The mixing proportions of (I) and (II) in the interval of 90:10 to 10:90 all provided waxes applicable to coating paper.

The melting point of the product range was from 50-65 deg. C.

CHOSEN-DRAWING: Dwg.0/1

TITLE-TERMS: PAPER COATING WATERPROOF BARRIER FOOD PACKAGE MATERIAL HIGH MELT

NON HYDROGENATION TRI GLYCERIDE FRACTION MIXTURE VEGETABLE ANIMAL

PAT FREE TRANS FATTY ACID SAFE DIGEST

DERWENT-CLASS: F09 G02

CPI-CODES: F05-A06B; G02-A05C;

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1997-027506

O 5 0021

772 / Research Disclosure · December 1996

19717 Paper Coating.

19314 O-ring St

This inve

steering I

processions

स्थित्र संग

The orcio

cliquinalit

logether.

enily ice

chambia

According to literature, coming of paper to obtain a water proof bearing may be perfured with parethis warms and hydrogenment contact pil. (1)

It is also known that different vegetable wates can be used. Researly a Owner company, Propiet-Mettler, obtained a parent on the use of byileogenated trightcerides for this purpose. (2) This kind of couted paper is used as a food packaging material.


For a long period we have been working with pimiler products, and during our work we have found that to accomplish satisfactory products with sufficient placinicity similar to the pureffinic was products it is not necessarily an advantage to work with faily or nearly fully hydrogenated mixtures of triglyconides, as they tend to bave a very sharp making profile, i.e. they are prove brittle and sumptimes read to crack on the paper.

instead of using hydrogenered firs and oils as paper coping analogists, we have used high mains to distribute assembly as a code action of the property of the second with the contract of the contract file. Such products are titally free of tress-fully scide which sees from a beath point of view surely is an advantage. Compared to parallia wasse mightenines can be digested and Attabong book after generaler it guiters set make the food products. to order to exact the recyclobility of exad coated paper it is an advantage to incorporate an

emploid or into the coating war. This could be destilled memogly emides or derivatives knowle. The amount should be from 1-8 Win the costing material.

The following examples illustrate different mixtures of triglyomides based on palesticating. A palmsteamy having a indian value (2.7 (1) is existed with a palmsteamy having the holine value 38.2 (II) in different proportions giving an array of different products. By way of comparison a product from the methal composed of partly hydrogeneted and fractionated vegatable triply-series is included. It appears that the planticity is similar.

The mixing proportions of (1) and (11) in the interval of 90:10 to 10:90 all provide ways applicable to costing paper. The melting point of the product sange is from 50-65 deg. C.



1. Kirk Orthoer 1970 edition. Waxter 2. EPO patent 0 136 861 (Papies Mentler) Disclosed by Anthus Obclubik A/S, larger Eriksen Disclo 39218

EXHIBIT C

Pat. Ser. No. 10/669,357

P.50

Regis. No.

19787

16830

20354

27674

27398

19962

37745

39937

41193

18394

IN THE

OCT 16 1998 SE

UNITED STATES PATENT & TRADEMARK OFFICE

APPLICATION OF:

Ronald T. Sletter

CASE:

330X1337

SERIAL NO:

08/919,761

FILED ON:

August 28, 1997

FOR:

Material for Enhancing Water

Tolerance of Composite Board

)

EXAMINER

L. Tentoni

ATTENTION OF

ART UI 1204

COMMISSIONER OF PATENTS & TRADEMARKS WASHINGTON, D.C. 20231

Dear Sir:

[X] AUTHORIZATION TO PAY AND PETITION FOR THE ACCEPTANCE OF ANY NECESSARY

FEES: If any charges or fees must be paid in connection with the following Communication (including but not limited to the payment of issue fees), they may be paid out of our deposit account No. 12-0064. If this payment also requires a Petition, please construe this authorization to pay as the necessary Petition which is required to accompany the payment.

ELECTION AND TRAVERSE OF RESTRICTION REQUIREMENTS

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on

Date <u>October 13, 1998</u>

Catherine De Nardo

LAFF, WHITESEL, CONTE & SARET, LTD.

Attomeys at Law

401 North Michigan Avenue

Chicago, Illinois 60611

FAX

TELEPHONE (312) 661-2100

(312) 661-0029 (312) 527-3001

Jww/election/330-1337 (jww/gm)

Charles A. Laff

Larry L. Saret

Louis Altman Barry W. Sufrin

Martin L. Stem

Kevin C. Trock

Lisa C. Childs

J. Warren Whitesel

Marshall W. Sutker

William A. Meunier Jack R. Halvorsen

Robert F.I. Conte

9735842621

Applicant elects Group I claims 1-28, 30-33, and 35.

The examiner requires restriction between the majority of the claims and claim 29 (which distinguishes from its parent claim by the words "conjugated linseed" oil) and Claim 34 (which is a product by process claim depending from claim 1).

Both of the claims 29 and 34 depend from claims which admittedly belong in the elected group. If the parent or base claim is found to be allowable, it can not be made less allowable by adding further limitations thereto. Hence, there is no justification for drawing a line between the top part (base claim) of a claim and the bottom part (dependent claim) of the same claim.

The term "vegetable oil" appears in claims 1, 4. The term "linseed oil" appears in claims 9, 18. The specific combination of "conjugated linseed oil" is identically expressed in claims 18 and 29. Hence, on the basis of "conjugated," "linseed oil" or "conjugated linseed oil" there is no line of demarcation between claim 29 and other claims.

The word "conjugated" appears in claims 14, 18, 22 and 23. "Conjugated," is related to a bonding agent which is described in U.S. Patent 5,507,633 that is mentioned on page 1 line 9 of the specification. The Examiner might also wish to look at Patent 5,719,301.

Hence, there is no line of demarcation between claims 14, 18, 22, 23 and 29.

The invention relates to waterproofing a composite board or panel. The invention may be used with many triglycendes (see claim 9). The conjugated linseed oil (sold under the trademark "Archer I") is preferred because it greatly enhances the bonding strength and other characteristics of the composite board.

Accordingly, there is no reason to single out any of the triglylcerides (including linseed oil) for a restriction requirement.

The Examiner argues that the process can make other products and that this product can be made by other processes. The Examiner is invited to describe the process that he would use and to support his process by the affidavit prescribed by 37CFR1.107(b). Then, applicants will have the opportunity to contradict or explain the various suggestions that may be put forward.

Claim 34 is a product-by-process claim which is a style of claim going back at least as far as *Pickhardt v. Packard* 22 F. Supp 530 (S.D.N.Y. 1884). This type of claim is used under the so called "Necessity Rule" when a product can not be adequately defined except by describing how it is made.

From the view point of infringement, the process claim must be infringed before the product claim is infringed. Therefore, if the process claim is patentable, an addition of further limitation thereto does not make it less allowable.

NECESSITY TEST

Historically, a product-by-process claim is appropriate when there is no other adequate way of describing a product. Here, the invention is a process for making a new and novel composite panel which, in turn, has superior characteristics. If the Examiner knows of a way of claiming the end product panel in structural terms, he is invited to suggest it. Any reasonable suggestion will be adopted. Applicants believe that the only accurate claim is in terms of how the composite panel is made. Therefore, a product-by-process type of claim is appropriate.

Reference is made to "Tropix Inc. v Lumingen Inc." 27 USPQ 1475 (DCDM 1993) which refers to "product-by-process" claims and says that the product-by-process claim covers the process. It goes on to say that the Federal Circuit should resolve the dispute, but that the judges of the Court of Appeals for the Federal Circuit are in "open disagreement...making...a prediction hazardous" (see the second paragraph in the

opinion). The *Tropix* judge pointed out that as far back as 1877, the U.S. Supreme Court said that a product described by a process is limited to the process and does not cover a substantially identical product made by a different process. The *Tropix* judge goes on to say that he finds no "authority for Judge Newman's distinction in the Thorpe case which treats a product-by-process differently when the product is no better that the prior art."

The *Tropix* judge relies upon *Atlantic Thermoplastics Co. Inc. v. Fayter Corp.*, 23 USPQ 1481 (CAFC 1992). This *Atlantic* case in turn relied on *Plummer v. Sargent*, 120 US 1442 (1887) which said that the claim is for a product made by the process and not a similar product made by another process (page 1487 left-hand-column). The *Atlantic* case (decided eight and a half years after the *Thorpe* case) says that a product-by-process claim is allowed since a patient is not to be denied because of limitations of the English language. (*In re Bridgeford*, 149 USPQ 55 (CCPA 1966))

Therefore, the later judicial opinion is that the product-by-process claim is appropriate in this case because there is no other obvious way of describing it in the English language. On the top of the right hand column (page 1485), the *Atlantic* judge quotes the Supreme Court:

"The invention, then, is a product or manufacture made in a defined manner. It is not a product alone separated from the process by which is created....The process detailed is...as much...the invention as the materials of which the product is composed."

RECEIVED CENTRAL FAX CENTER

FEB 0 5 2007

PETITION

If the Examiner elects to maintain the restriction requirement, please treat this paper as a petition and pass it on to proper authorities who review the matter of restrictions.

Respectfully submitted,

LAFF, WHITESEL, CONTE & SARET, LTD.

DATED: October 13, 1998

By:

J. Warren Whitese

JWW/gm

EXHIBIT D

Pat. Ser. No. 10/669,357

9131. Tallow. In North America designates the fat from the fatty tissue of bovine cattle and sheep only. It may be offered separately as beef tallow and as sheep or mutton tallow.

x before using this section.

Page 1613

The term horse tallow is generally no longer admitted. Oleo stock is the highest grade of beef tallow. Contains (as glycerides): Oleic acid (37-43%), palmitic (24-32%), stearic (20-25%), myristic (3-6%), linoteic (2-3%). Minor constituents are cholesterol, arachidonic, elaidic, and vaccenic acids. Perhaps the most observed characteristic of tallow is its tier (solidif pt) which ranges from 40° to 46°.

9132. Tallow Alcohol

P.57

THE MERCK INDEX

AN ENCYCLOPEDIA OF CHEMICALS, DRUGS, AND BIOLOGICALS

THIRTEENTH EDITION

Editorial Staff

Maryadele J. O'Neil, Senior Editor
Ann Smith, Senior Associate Editor
Patricia E. Heckelman, Associate Editor

John R. Obenchain Jr., Editorial Assistant
Jo Ann R. Gallipeau, Technical Assistant
Mary Ann D'Arecca, Administrative Associate

Susan Budavari, Editor Emeritus

. Published by Merck Research Laboratories Division of

MERCK & CO., INC. Whitehouse Station, NJ

2001

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

CRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.